FILENAME: DEPOTEMP

PURPOSE: Database templet for downloading deposits. Field names and sizes must not be changed. The first field must be DP_ACCTNO.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
DP_ACCTNO	C(15)		Account Number	REQUIRED

DP_CODE	C(15)		Deposit Code	REQUIRED using the following numeric codes:
				Demand Deposit Accounts:
				    100 - Non-Business
				    110 - Business
				    120 - State/County/Municipal
				    130 - U.S. Government
				    140 - T.T.&L.
				    150 - Official Checks (by type)
				    160 - Foreign
				Savings Deposit Accounts:
				    200 - Regular Savings
				    210 - Foreign Savings
				    220 - IRA/Keogh Plans
				    230 - NOW - Non-Business
				    235 - NOW - Business
				    240 - SuperNOW - Non-Business
				    245 - SuperNOW - Business
				    250 - MMDA - Non-Business
				    260 - MMDA - Business
				    270 - MMDA - State/County/Municipal
				    280 - MMDA - U.S. Government
				Time Deposit Accounts:
				    300 - Non-Buy/Business
				    310 - Due to Financials
				    320 - State/County/Municipals
				    330 - Brokered
				    340 - IRA/Keogh Plans

DP_BRNCHNO	N(3,0)		Branch Number	
DP_PNAME	C (50)		Borrower's Primary Name	REQUIRED
DP_SNAME	C (50)		Borrower's Secondary Name	
DP_ADDR1	C (50)		Borrower's Address - Street 1	
DP_ADDR2	C (50)		Borrower's Address - Street 2	
DP_CITY	C (40)		Borrower's Address - City	
DP_STATE	C (2)		Borrower's Address - State	

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
DP_ZIP	C (10)		Borrower's Address - Zip Code	
DP_TAXID	C (9)		Borrower's Tax ID Number	
DP_RATE	N (8,3)		Interest Rate	REQUIRED for savings and time deposits; Populate as 8.250 rather than .0825
DP_ACCDINT	N(14,2)		Accrued Interest	REQUIRED for savings and time deposits
DP_INTYTD	N(14,2)		Interest Year-To-Date	
DP_BKBAL	N(14,2)		Bank's Balance	REQUIRED
DP_MATDA8	D (8)		Maturity Date	REQUIRED for time deposits
DP_ORGDA8	D (8)		Origination Date	REQUIRED for time deposits
DP_OUTTERR	L (1)		Out of Territory Indicator	
DP_BROKER	L (1)		Brokered Indicator	
DP_E_D_S	L (1)		Employee/Director/ Stockholder Indicator	
DP_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software

FILENAME: LOANTEMP

PURPOSE: Database templet for downloading loans. Field names and sizes must not be changed. The first field must be LN_ACCTNO.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
LN_ACCTNO	C (15)		Account Number	REQUIRED
LN_CODE	C (15)		Loan Code	REQUIRED
LN_BRNCHNO	N (3,0)		Branch Number	
LN_PNAME	C (50)		Borrower's Primary Name	REQUIRED
LN_SNAME	C (50)		Borrower's Secondary Name	
LN_ADDR1	C (50)		Borrower's Address - Street 1	
LN_ADDR2	C (50)		Borrower's Address - Street 2	
LN_CITY	C (40)		Borrower's Address - City	
LN_STATE	C (2)		Borrower's Address - State	
LN_ZIP	C (10)		Borrower's Address - Zip Code	
LN_TAXID	C (9)		Borrower's Tax ID Number	
LN_RATEID	C (1)		Interest Rate Type Indicator	REQUIRED - (A) djustable or (F) ixed
LN_RATE	N (8,3)		Interest Rate	REQUIRED - Populate as 8.250 rather than .0825; 0.000 is a valid interest rate
LN_RATEFL	N (8,3)		Lifetime Interest Rate Floor	REQUIRED for adjustable rate loans; Populate as 8.250 rather than .0825; 0.000 means no floor
LN_RATECL	N (8,3)		Lifetime Interest Rate Ceiling	REQUIRED for adjustable rate loans; Populate as 8.250 rather than .0825; 0.000 means no ceiling
LN_RATECA	N (8,3)		Periodic Interest Rate Cap	REQUIRED for adjustable rate loans; Populate as 8.250 rather than .0825; 0.000 means no cap
LN_RA8CHG	D (8)		Date of First Possible Interest Rate Change	REQUIRED for adjustable rate loans
LN_ADJFRQ	N (3,0)		Interest Adjustment Frequency	REQUIRED (in months) for adjustable rate loans; Populate with 0 for fixed rate loans
LN_PARTYPE	C (1)		Participation Type	REQUIRED - (W) holly Owned; (P) urchased; (S) old

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
LN_PARTNR	C (50)		Lead Institution for Part. Purch. Participant for Part. Sold	
LN_ORGPUR	N (14,2)		Original Amount Purchased	
LN_TOTBAL	N (14,2)		Total Balance	REQUIRED
LN_PARTBAL	N (14,2)		Participant's Balance	REQUIRED for participation loans
LN_TOTPMT	N (14,2)		Total Payment	REQUIRED; Populate with Bank's portion for wholly owned and purchased loans; Populate with total payment for sold loans
LN_UNFUND	N (14,2)		Bank's Unfunded Balance	
LN_PMTFRQ	N (3,0)		Number of Payments Per Year	REQUIRED
LN_MATDA8	D (8)		Maturity Date	REQUIRED; blank is valid for revolving line loans
LN_ORGDA8	D (8)		Origination Date	REQUIRED
LN_ORGAMT	N (14,2)		Original Total Loan Amount	
LN_APRDA8	D (8)		Appraisal Date	
LN_APPAMT	N (14,2)		Appraised Amount	
LN_PDDAYS	N (4,0)		Number of Days Past Due	REQUIRED
LN_TIMEDEL	N (4,0)		Number of Times Delinquent Last Twelve Months	
LN_CLASAMT	N (14,2)		Classified Amount	
LN_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software

FILENAME: OREOTEMP

PURPOSE: Database templet for downloading OREO properties. Field names and sizes must not be changed. The first field must be OR_ACCTNO.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
OR_ACCTNO	C (15)		Account Number	REQUIRED
OR_CODE	C (15)		OREO Code	REQUIRED
OR_BRNCHNO	N (3,0)		Branch Number	
OR_PNAME	C (50)		Property's Primary Name	REQUIRED
OR_SNAME	C (50)		Property's Secondary Name	
OR_ADDR1	C (50)		Property's Address - Street 1	
OR_ADDR2	C (50)		Property's Address - Street 2	
OR_CITY	C (40)		Property's Address - City	
OR_STATE	C (2)		Property' Address - State	
OR_ZIP	C (10)		Property' Address - Zip Code	
OR_PARTYPE	C (1)		Participation Type	REQUIRED - (W) holly Owned; (P) urchased; (S) old
OR_PARTNR	C (50)		Lead Institution for Part. Purch. Participant for Part. Sold	
OR_ORGPUR	N (14,2)		Original Amount Purchased	
OR_ORGAMT	N (14,2)		Original Total Loan Amount	
OR_TOTBAL	N (14,2)		Total Balance	REQUIRED
OR_PARTBAL	N (14,2)		Participant's Balance	REQUIRED for participations
OR_APRDA8	D (8)		Appraisal Date	
OR_APRAMT	N (14,2)		Appraised Amount	
OR_CLASAMT	N (14,2)		Classified Amount	
OR_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software

FILENAME: RADEPO

PURPOSE: Deposit database. Field names, sizes and tags must not be changed.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
DP_ACCTNO	C (15)	▲	Account Number	Populated by download or RAVEN software
DP_SCHEDU	C (3)		Schedule Type	Generated by RAVEN software based on DP_CODE
DP_CODE	C (15)		Deposit Code	Populated by download or RAVEN software Simultaneously populates DP_SCHEDU with: DDA for Demand Deposit Accounts SAV for Savings Deposit Accounts CDS for time Deposit Accounts Simultaneously populates DP_GLCODE with: 7000 for Demand Deposit Accounts 7100 for Savings Deposit Accounts 7200 for time Deposit Accounts
DP_GLCODE	N (5,0)		FDIC General Ledger Code	Generated by RAVEN software based on DP_CODE
DP_BRNCHNO	N (3,0)		Branch Number	Populated by download or RAVEN software; if download field blank, populated with 1
DP_PNAME	C (50)	▲	Borrower's Primary Name	Populated by download or RAVEN software
DP_SNAME	C (50)		Borrower's Secondary Name	Populated by download or RAVEN software
DP_ADDR1	C (50)		Borrower's Address(Street 1)	Populated by download or RAVEN software
DP_ADDR2	C (50)		Borrower's Address(Street 2)	Populated by download or RAVEN software
DP_CITY	C (40)		Borrower's Address - City	Populated by download or RAVEN software
DP_STATE	C (2)		Borrower's Address - State	Populated by download or RAVEN software
DP_ZIP	C (10)		Borrower's Address - Zip Code	Populated by download or RAVEN software
DP_TAXID	C (9)		Borrower's Tax ID Number	Populated by download or RAVEN software
DP_RATE	N (8,3)		Interest Rate	Populated by download or RAVEN software
DP_ACCDINT	N (14,2)		Accrued Interest	Populated by download or RAVEN software
DP_INTYTD	N (14,2)		Interest Year-To-Date	Populated by download or RAVEN software
DP_BKBAL	N (14,2)		Bank's Balance	Populated by download or RAVEN software
DP_MATDA8	D (8)		Maturity Date	Populated by download or RAVEN software

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
DP_ORGDA8	D (8)		Origination Date	Populated by download or RAVEN software
DP_OUTTERR	L (1)		Out of Territory Indicator	Populated by download or RAVEN software; if download field blank, populated with .F.
DP_BROKER	L (1)		Brokered Indicator	Populated by download or RAVEN software; if download field blank, populated with .F.
DP_E_D_S	L (1)		Employee/Director/ Stockholder Indicator	Populated by download or RAVEN software; if download field blank, populated with .F.
DP_UD1	L (1)		User Defined Logical Field	Populated by RAVEN software
DP_UD2	L (1)		User Defined Logical Field	Populated by RAVEN software
DP_UD3	L (1)		User Defined Logical Field	Populated by RAVEN software
DP_UD4	L (1)		User Defined Logical Field	Populated by RAVEN software
DP_UD5	L (1)		User Defined Logical Field	Populated by RAVEN software
DP_UD6	L (1)		User Defined Logical Field	Populated by RAVEN software
DP_INITDA	L (1)		Data Initialized Indicator	Generated by RAVEN software
DP_COMPDA	L (1)		Data Compared Indicator	Generated by RAVEN software
DP_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software

FILENAME: RALOAN

PURPOSE: Loan database. Field names, sizes and tags must not be changed.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
LN_ACCTNO	C (15)	▲	Account Number	Populated by download or RAVEN software
LN_SCHEDU	C (3)		Schedule Type	Generated by RAVEN software in Loan Assumptions
LN_CODE	C (15)		Loan Code	Populated by download or RAVEN software
LN_POOLNO	N (3)		Pool Number	Generated by RAVEN software; dependent upon structure and pool filters
LN_SAMSTAT	N (2)		Sample Status Indicator	Generated by RAVEN software
LN_PRICED	C (12)		Priced Indicator	Generated by RAVEN software
LN_GLCODE	N (5,0)		FDIC General Ledger Code	Generated by RAVEN software based on LA_SCHEDU
LN_BRNCHNO	N (3,0)		Branch Number	Populated by download or RAVEN software; if download field blank, populated with 1
LN_PNAME	C (50)	▲	Borrower's Primary Name	Populated by download or RAVEN software
LN_SNAME	C (50)		Borrower's Secondary Name	Populated by download or RAVEN software
LN_ADDR1	C (50)		Borrower's Address(Street 1)	Populated by download or RAVEN software
LN_ADDR2	C (50)		Borrower's Address(Street 2)	Populated by download or RAVEN software
LN_CITY	C (40)		Borrower's Address - City	Populated by download or RAVEN software
LN_STATE	C (2)		Borrower's Address - State	Populated by download or RAVEN software
LN_ZIP	C (10)		Borrower's Address - Zip Code	Populated by download or RAVEN software
LN_TAXID	C (9)		Borrower's Tax ID Number	Populated by download or RAVEN software
LN_RATEID	C (1)	▲	Interest Rate Type Indicator	Populated by download or RAVEN software
LN_RATE	N (8,3)		Interest Rate	Populated by download or RAVEN software
LN_RATEFL	N (8,3)		Lifetime Interest Rate Floor	Populated by download or RAVEN software
LN_RATECL	N (8,3)		Lifetime Interest Rate Ceiling	Populated by download or RAVEN software
LN_RATECA	N (8,3)		Periodic Interest Rate Cap	Populated by download or RAVEN software
LN_RA8CHG	D (8)		Date of First Possible Interest Rate Change	Populated by download or RAVEN software
LN_ADJFRQ	N (3)		Interest Adjustment Frequency	Populated by download or RAVEN software

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
LN_PARTYPE	C (1)	▲	Participation Type	Populated by download or RAVEN software
LN_PCTOWND	N (8,3)		Percent Owned	Generated by RAVEN software
LN_PARTNR	C (50)		Lead Institution for Part. Purch. Participant for Part. Sold	Populated by download or RAVEN software
LN_ORGPUR	N (14,2)		Original Amount Purchased	Populated by download or RAVEN software
LN_TOTBAL	N (14,2)		Total Balance	Populated by download or RAVEN software
LN_PARTBAL	N (14,2)		Participant's Balance	Populated by download or RAVEN software
LN_BKBAL	N (14,2)		Bank's Balance	Generated by RAVEN software
LN_TOTPMT	N (14,2)		Total Payment	Populated by download or RAVEN software
LN_PARTPMT	N (14,2)		Participant's Payment	Populated by download or RAVEN software
LN_BKPMT	N (14,2)		Bank's Payment	Generated by RAVEN software
LN_UNFUND	N (14,2)		Bank's Unfunded Balance	Populated by download or RAVEN software
LN_UNFTYPE	C (5)		Unfunded Type	Populated by RAVEN software with either: LOC - Line of Credit ULC - Unfunded Loan Commitment
LN_PMTFRQ	N (3,0)		Number of Payments Per Year	Populated by download or RAVEN software
LN_MATDA8	D (8)		Maturity Date	Populated by download or RAVEN software
LN_ORGDA8	D (8)		Origination Date	Populated by download or RAVEN software
LN_MOLEFT	N (4,0)		Number of Months Left To Maturity	Generated by RAVEN software
LN_ORGAMT	N (14,2)		Original Total Loan Amount	Populated by download or RAVEN software
LN_APRDA8	D (8)		Appraisal Date	Populated by download or RAVEN software
LN_APRAMT	N (14,2)		Appraised Amount	Populated by download or RAVEN software
LN_PDDAYS	N (4,0)		Number of Days Past Due	Populated by download or RAVEN software
LN_TIMEDEL	N (4,0)		Number of Times Delinquent Last Twelve Months	Populated by download or RAVEN software
LN_RISK	C (2)		Risk Indicator	Populated by RAVEN software with: P - Push Risk K - Keep Risk S - Share Risk NA - Not Applicable
LN_EXCLUDE	L (1)		Excluded Loan Indicator	Populated by RAVEN software

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
LN_PERFORM	L (1)	▲	Performing Indicator	Generated by RAVEN software based on LN_PDDAYS
LN_CLASSIF	L (1)	▲	Classified Indicator	Generated by RAVEN software based on LN_CLASAMT
LN_CLASAMT	N (14,2)		Classified Amount	Populated by download or RAVEN software
LN_UD1	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD2	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD3	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD4	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD5	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD6	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD7	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_UD8	L (1)		User Defined Logical Field	Populated by RAVEN software
LN_LNTYPE	C (25)	▲	Loan Type	Generated by RAVEN software with: REVOLVING LINE MATURED LOAN BULLET NONACCRUAL INTEREST ONLY NEGATIVE AMORTIZATION BALLOON REDUCED TERM TERM UNKNOWN LOAN TYPE
LN_LPMCRYA	N (14,2)		LPM - Credit Risk Yield Adjustment	Generated by RAVEN software
LN_LPMIRD	N (14,2)		LPM - Interest Rate Differential	Generated by RAVEN software
LN_CRWCLG	N (14,2)		CRW - Direct Credit Loss/Gain	Generated by RAVEN software
LN_CRWDDE	N (14,2)		CRW - Direct Disposition Expense	Generated by RAVEN software
LN_FAIRVAL	N (14,2)		Fair Value	Generated by RAVEN software
LN_INDEXP	N (14,2)		Indirect Liquidation Expense	Generated by RAVEN software
LN_INITDA	L (1)		Data Initialized Indicator	Generated by RAVEN software
LN_COMPDA	L (1)		Data Compared Indicator	Generated by RAVEN software

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
LN_ARSPRNT	L (1)		ARS Printed Indicator	Generated by RAVEN software
LN_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software

FILENAME: RAODS

PURPOSE: Overdraft database; DDA, NOW and MMDA accounts with negative balances are transferred from the "Load" file during the download process. Field names, sizes and tags must not be changed.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
OD_ACCTNO	C (15)	▲	Account Number	Populated by download or RAVEN software
OD_SCHEDU	C (3)		Schedule Type	Populated with "CON" by RAVEN software
OD_CODE	C (15)		Deposit Code	Populated by download or RAVEN software
OD_SAMSTAT	N (2,0)		Sample Status Indicator	Generated by RAVEN software
OD_PRICED	C (12)		Priced Indicator	Generated by RAVEN software
OD_GLCODE	N (5,0)		FDIC General Ledger Code	Populated with 4300 by RAVEN software
OD_BRNCHNO	N (3,0)		Branch Number	Populated by download or RAVEN software; if download field blank, populated with 1
OD_PNAME	C (50)	▲	Borrower's Primary Name	Populated by download or RAVEN software
OD_SNAME	C (50)		Borrower's Secondary Name	Populated by download or RAVEN software
OD_ADDR1	C (50)		Borrower's Address - Street 1	Populated by download or RAVEN software
OD_ADDR2	C (50)		Borrower's Address - Street 2	Populated by download or RAVEN software
OD_CITY	C (40)		Borrower's Address - City	Populated by download or RAVEN software
OD_STATE	C (2)		Borrower's Address - State	Populated by download or RAVEN software
OD_ZIP	C (10)		Borrower's Address - Zip Code	Populated by download or RAVEN software
OD_TAXID	C (9)		Borrower's Tax ID Number	Populated by download or RAVEN software
OD_BKBAL	N (14,2)		Bank's Balance	Populated by download or RAVEN software
OD_CRWCLG	N (14,2)		CRW Credit Loss/Gain	Generated by RAVEN software
OD_FAIRVAL	N (14,2)		Fair Value	Generated by RAVEN software
OD_INDEXP	N (14,2)		Indirect Expense	Generated by RAVEN software
OD_CLASSIF	L (1)		Classified Indicator	Generated by RAVEN software based on OD_CLASAMT
OD_CLASAMT	N (14,2)		Classified Amount	Populated by RAVEN software
OD_INITDA	L (1)		Data Initialized Indicator	Generated by RAVEN software
OD_COMPDA	L (1)		Data Compared Indicator	Generated by RAVEN software
OD_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software

FILENAME: RAOREO
PURPOSE: OREO database. Field names, sizes and tags must not be changed.

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
OR_ACCTNO	C (15)	▲	Account Number	Populated by download or RAVEN software
OR_SCHEDU	C (3)		Schedule Type	Populated by RAVEN software with OREO
OR_CODE	C (15)		OREO Code	Populated by download or RAVEN software
OR_POOLNO	N (3)		Pool Number	Generated by RAVEN software; dependent upon structure and pool filters
OR_SAMSTAT	N (2)		Sample Status Indicator	Generated by RAVEN software
OR_PRICED	C (12)		Priced Indicator	Generated by RAVEN software
OR_GLCODE	N (5,0)		FDIC General Ledger Code	Populated by RAVEN software with 5000
OR_BRNCHNO	N (3,0)		Branch Number	Populated by download or RAVEN software; if download field blank, populated with 1
OR_PNAME	C (50)	▲	Property's Primary Name	Populated by download or RAVEN software
OR_SNAME	C (50)		Property's Secondary Name	Populated by download or RAVEN software
OR_ADDR1	C (50)		Property's Address - Street 1	Populated by download or RAVEN software
OR_ADDR2	C (50)		Property's Address - Street 2	Populated by download or RAVEN software
OR_CITY	C (40)		Property's Address - City	Populated by download or RAVEN software
OR_STATE	C (2)		Property's Address - State	Populated by download or RAVEN software
OR_ZIP	C (10)		Property's Address - Zip Code	Populated by download or RAVEN software
OR_PARTYPE	C (1)	▲	Participation Type	Populated by download or RAVEN software
OR_PCTOWND	N (8,3)		Percent Owned	Generated by RAVEN software
OR_PARTNR	C (50)		Lead Institution for Part. Purch. Participant for Part. Sold	Populated by download or RAVEN software
OR_ORGPUR	N (14,2)		Original Amount Purchased	Populated by download or RAVEN software
OR_ORGAMT	N (14,2)		Original Total Loan Amount	Populated by download or RAVEN software
OR_TOTBAL	N (14,2)		Total Balance	Populated by download or RAVEN software
OR_PARTBAL	N (14,2)		Participant's Balance	Populated by download or RAVEN software
OR_BKBAL	N (14,2)		Bank's Balance	Generated by RAVEN software

FIELD NAME	SIZE	TAG	DESCRIPTION	COMMENTS
OR_APRDA8	D (8)		Appraisal Date	Populated by download or RAVEN software
OR_APRAMT	N (14,2)		Appraised Amount	Populated by download or RAVEN software
OR_RISK	C (2)		Risk Indicator	Populated by RAVEN software with: P - Push Risk K - Keep Risk S - Share Risk NA - Not Applicable
OR_EXCLUDE	L (1)		Excluded Loan Indicator	Populated by RAVEN software
OR_CLASSIF	L (1)		Classified Indicator	Generated by RAVEN software based on OR_CLASAMT
OR_CLASAMT	N (14,2)		Classified Amount	Populated by download or RAVEN software
OR_UD1	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_UD2	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_UD3	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_UD4	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_UD5	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_UD6	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_UD7	L (1)		User Defined Logical Field	Populated by RAVEN software
OR_CRWCLG	N (14,2)		CRW - Direct Credit Loss/Gain	Generated by RAVEN software
OR_CRWDDE	N (14,2)		CRW - Direct Disposition Expense	Generated by RAVEN software
OR_FAIRVAL	N (14,2)		Fair Value	Generated by RAVEN software
OR_INDEXP	N (14,2)		Indirect Liquidation Expense	Generated by RAVEN software
OR_INITDA	L (1)		Data Initialized Indicator	Generated by RAVEN software
OR_COMPDA	L (1)		Data Compared Indicator	Generated by RAVEN software
OR_ARSPRNT	L (1)		ARS Printed Indicator	Generated by RAVEN software
OR_UNEKID	C (24)		Record's Unique ID Number	Generated by RAVEN software